Table of Contents

CHAPTER 1. GENERAL PROVISIONS

1.0 Introduction 1-1
1.1 Enactment Authority 1-1
1.2 Jurisdiction 1-1
1.3 Purpose 1-1
1.4 Amendments and Revisions 1-1
Table 1-1 Examples of Minor and Major Revisions 1-2
1.5 Enforcement Responsibility 1-2
1.6 Review and Acceptance 1-2
1.7 Interpretation 1-2
1.8 Relationship to Other Standards 1-3
1.9 Variances from these Criteria 1-3
1.10 Acronyms 1-3

CHAPTER 2. STORMWATER MANAGEMENT POLICY & PRINCIPLES

2.0 Introduction 2-1
2.1 Principles 2-1
2.2 Planning Policy 2-3
2.3 Design Policy 2-4
2.4 Operations and Maintenance Policy 2-6
2.5 Construction of Public Improvements Policy 2-7
2.6 Regulatory/Legal Policy 2-7
2.7 Hazard Minimization & Public Safety Policy 2-8
2.8 Miscellaneous Policy 2-8

CHAPTER 3. STORMWATER MANAGEMENT AND DEVELOPMENT

3.0 Introduction 3-1
3.1 Planning for Stormwater Management 3-1
3.1.1 Impacts of Development 3-1
3.1.2 Multi-Purpose Resource 3-2
3.1.3 Allocation of Space 3-2
3.1.4 Regional and Local Master Planning 3-2
3.1.5 Site Design and Layout 3-3
3.1.6 Volume Reduction Practices 3-3
3.1.7 Design of Stormwater Quantity Management Improvements 3-3
3.1.8 Water Quality Treatment 3-4
3.1.9 Channel Stabilization 3-5
3.1.10 Maintenance Considerations 3-5
3.1.11 Drainage Law 3-5
3.1.12 Town Permits 3-5
3.1.13 Environmental Permitting 3-6
3.1.14 Landscaping Regulations 3-6
3.2 Special Planning Areas and Districts 3-6
3.2.1 Cherry Creek Basin Water Quality Authority (CCBWQA) 3-6
3.2.2 Areas with Existing Drainage Problems 3-7
3.3 Special Considerations 3-7
3.3.1 Irrigation Ditches 3-7
3.3.2 Jurisdictional Dams and Reservoirs 3-8

3.3.3 Groundwater Investigations 3-8
3.4 Construction of Improvements 3-9
3.4.1 Local Drainage System 3-9
3.4.2 The Major Drainageway System 3-10
3.4.3 Drainageway Improvements 3-10
3.5 Stormwater Facility Maintenance 3-10
3.5.1 Maintenance Responsibility 3-10
3.5.2 Easements 3-11
3.5.3 Operation and Maintenance Manual 3-11
3.5.4 Easements on Residential Lots 3-11

CHAPTER 4. DRAINAGE REPORT AND CONSTRUCTION DRAWING SUBMITTAL REQUIREMENTS

4.0 Introduction 4-1
4.1 Review Process 4-1
4.1.1 Drainage Report Requirements 4-1
4.1.2 Stand-Alone Document 4-1
4.1.3 Submittal Adequacy 4-1
4.1.4 Pre-application Consultation 4-1
4.1.5 Review by Referral Agencies 4-1
Table 4-1 Drainage Report Submittal Requirements 4-2
4.2 Acceptance 4-2
4.2.1 Phase III Drainage Report Acceptance Required for Construction 4-2
4.2.2 Permanent Best Management Practices Plan Required Prior to Land Disturbance 4-2
4.2.3 One Year Acceptance for Phase III Drainage Reports 4-2
4.3 Phase I Drainage Report and Plan 4-3
4.3.1 Requirement for Phase I Drainage Report and Plan Submittal 4-3
4.3.2 Report Contents 4-3
4.3.3 Phase I Drainage Plan Requirements 4-6
4.4 Phase II Drainage Report and Plan 4-6
4.4.1 Requirement for Phase II Drainage Report and Plan Submittal 4-6
4.4.2 Report Contents 4-7
4.4.3 Certification Statement 4-12
4.4.4 Standard Forms 4-12
4.4.5 Checklists 4-12
4.4.6 Phase II Drainage Plan Requirements 4-13
4.4.7 Master Plan of Drainage 4-14
4.5 Phase III Drainage Report and Plan 4-14
4.5.1 Requirement for Phase III Drainage Report and Plan Submittal 4-14
4.5.2 Report Contents 4-14
4.5.3 Certification Statement 4-14
4.5.4 Phase III Drainage Plan Requirements 4-15
4.6 Stormwater Management Facility Operation and Maintenance Manual 4-15
4.6.1 Stormwater Management Facility Operation and Maintenance Manual (O & M Manual) Requirement 4-15
4.6.2 Development of the O & M Manual 4-15
4.7 Construction Drawings 4-16

4.7.1 Stormwater Management Improvements....4-16
4.7.2 Construction Plan Submittal....4-16
4.7.3 Construction Plan Requirements....4-16
4.8 Record Drawings....4-17
4.8.1 Record Drawing Requirements....4-17

CHAPTER 5. FLOODPLAIN MANAGEMENT
5.0 Introduction....5-1
5.0.1 Floodplain Philosophy....5-1
5.1 Floodplain Management and Regulation....5-1
5.1.1 Floodplain Management....5-1
5.1.2 Standard Level of Protection....5-1
5.1.3 Higher Level of Protection....5-1
5.1.4 National Flood Insurance Program....5-2
5.1.5 Colorado Water Conservation Board....5-2
5.1.6 Floodplain Regulations....5-2
5.1.7 Unstudied or Unmapped Floodplains....5-3
5.2 Sources of and Use of Existing Floodplain Information....5-3
5.2.1 FEMA Flood Insurance Rate Maps (FIRMs) and Flood Insurance Study....5-3
5.2.2 Flood Hazard Area Delineation Studies....5-5
5.2.3 Other Floodplain Information....5-6
5.2.4 Confirmation of Floodplain Data....5-6
5.3 Floodplain Information Unavailable....5-6
5.4 Construction in or Development Adjacent to Floodplains....5-7
5.4.1 General....5-7
5.4.2 Floodway District....5-7
5.4.3 Floodway Fringe District....5-7
5.4.4 Floodway Fringe District Encroachments....5-7
5.4.5 Subdivision Platting and Floodplains....5-8
5.4.6 Freeboard Requirements....5-9
5.5 FEMA Map Revisions and Amendments....5-9
5.5.1 General....5-9
5.5.2 Conditional Letter of Map Revision (CLOMR)....5-9
5.5.3 Conditional Letter of Map Revision Based on Fill (CLOMR-F)....5-9
5.5.4 Letter of Map Revision (LOMR)....5-10
5.5.5 Letter of Map Revision Based on Fill (LOMR-F)....5-10
5.5.6 Conditional Letter of Map Amendment (CLOMA)....5-10
5.5.7 Letter of Map Amendment (LOMA)....5-10
5.6 Floodplain Modification Study....5-10
5.6.1 Requirement....5-10
5.6.2 Incorporation into Other Submittals....5-10
5.6.3 Floodplain Modification Study Outline....5-11
5.6.4 Agency Review Requirements....5-12
5.6.5 Conceptual Approval....5-12

CHAPTER 6. HYDROLOGY
6.0 Introduction....6-1

6.0.1 Stormwater Quality Considerations 6-1
6.1 Design Rainfall 6-1
6.1.1 One-hour Rainfall 6-1
Table 6-1 1-Hour Point Rainfall Values for the Town of Castle Rock (Inches) . 6-2
6.1.2 Intensity-Duration Curves 6-2
6.1.3 Six-hour Rainfall 6-2
Table 6-2 6-Hour Point Rainfall Values for the Town of Castle Rock (Inches) . 6-2
6.2 Selecting a Method to Estimate Runoff 6-2
Table 6-3 Comparison of Hydrological Methods 6-3
6.3 Rational Method 6-4
6.3.1 Rational Method Equation 6-4
6.3.2 Time of Concentration (t_c) 6-4
6.3.3 Rainfall Intensity (I) 6-5
6.3.4 Runoff Coefficient (C) 6-6
6.3.5 Basin Area (A) 6-6
6.3.6 Computer Programs/Equivalent Software 6-7
6.4 CUHP/SWMM 6-7
6.4.1 CUHP 6-7
6.4.2 SWMM 6-7
6.5 Other Hydrologic Methods 6-7
6.5.1 Published Hydrologic Information 6-7
6.6 Runoff Reduction Associated with Minimizing Directly Connected Impervious Area 6-8
6.7 Design Hydrology Based on Future Development Conditions 6-8
6.7.1 On-site Flow Analysis 6-8
6.7.2 Off-site Flow Analysis 6-8
6.8 Consideration of Detention Benefits in Off-Site Flow Analysis 6-9
6.8.1 Major Drainageway Basin Distinction 6-9
6.8.2 Analysis when System is Part of a Major Drainageway Basin 6-9
6.8.3 Analysis when a System is not a Part of a Major Drainageway Basin 6-9
6.9 Additional Considerations Regarding Conveyance of Runoff from Major Drainageway Basins 6-10

Figure 6-1 Rainfall Intensity-Duration Curve, Town of Castle Rock 6-11
Figure 6-2 Standard SF-2 Form 6-12
Figure 6-3 Standard SF-3 Form 6-13

CHAPTER 7. STREET DRAINAGE
7.0 Introduction 7-1
7.1 Function of Streets in the Drainage System 7-1
7.1.1 Primary Function of Streets 7-1
7.1.2 Design Criteria Based on Frequency and Magnitude 7-1
7.1.3 Street Function in Minor (5-year) Storm Event 7-1
7.1.4 Street Function in Major (100-year) Storm Event 7-1
7.2 Street Classification 7-1
7.2.1 Town of Castle Rock Standard Roadway Sections 7-1
7.2.2 Drainage Classification 7-2

Table 7-1 Drainage Classification for Standard Roadway Sections 7-2
7.3 Minor (5-year) Storm Allowable Street Flow..... 7-2
7.3.1 Allowable Flow Depth and Roadway Encroachment for Streets with Curb and Gutter 7-2
Table 7-2 Minor Storm Allowable Flow Depth and Roadway Encroachment for Streets with Curb and Gutter..... 7-3
7.4 Major (100-year) Storm Allowable Street Flow..... 7-3
7.4.1 Allowable Flow Depth for a Street with Curb and Gutter 7-3
Table 7-3 Major Storm Allowable Flow Depth for Streets with Curb and Gutter 7-3
7.5 Hydraulic Evaluation of Street Capacity..... 7-3
7.5.1 Minor (5-year) Storm Street Capacity Worksheet..... 7-4
7.5.2 Minor Storm Street Capacity Charts 7-4
7.5.3 Major (100-year) Storm Street Capacity Worksheet..... 7-4
7.5.4 Major Storm Street Capacity Charts 7-4
7.5.5 Major Storm Street Capacity with Flow Depth Between Curb Full and 12-inches 7-5
7.5.6 Non-Standard Street Sections 7-5
7.5.7 Computer Programs/Equivalent Software 7-5
7.6 Cross-Street Flow..... 7-6
7.6.1 Cross-Street Flow Conditions 7-6
7.6.2 Influence on Traffic 7-6
7.6.3 Allowable Cross-Street Flow Due to Spread Over the Street Crown 7-6
Table 7-4 Allowable Cross-Street Flow Due to Spread Over the Street Crown for Streets with Curb and Gutter 7-6
7.6.4 Crosspans..... 7-7
7.7 Curbless Streets with Roadside Swales for Enhanced Water Quality 7-7
7.7.1 Urban Roadside Swales 7-7
7.7.2 Allowable Capacity 7-7
7.7.3 Driveways and Street Cross-Flow 7-7
7.7.4 Downstream Facilities..... 7-8

Figure 7-1 Town of Castle Rock Street Capacity Chart *Local Type I and Type II (Single Family)* 7-9
Figure 7-2 Town of Castle Rock Street Capacity Chart *Local Type I and Type II (Multi-Family)* 7-10
Figure 7-3 Town of Castle Rock Street Capacity Chart *Local Type III* 7-11
Figure 7-4 Town of Castle Rock Street Capacity Chart *Minor Collector*..... 7-12
Figure 7-5 Town of Castle Rock Street Capacity Chart *Major Collector*..... 7-13
Figure 7-6 Town of Castle Rock Street Capacity Chart *Minor Arterial* 7-14
Figure 7-7 Town of Castle Rock Street Capacity Chart *4 Lane Major Arterial* 7-15

Figure 7-8 Town of Castle Rock Street Capacity Chart
6 Lane Major Arterial 7-16

CHAPTER 8. INLETS

8.0 Introduction 8-1
8.1 General 8-1
8.1.1 Function of Inlets 8-1
8.1.2 Types of Inlets 8-1
8.1.3 General Design Guidelines 8-1
8.1.4 Inlet Capacity 8-2
8.2 Standard Town Inlets 8-2
8.2.1 Applicable Settings for Various Inlet Types 8-2
8.2.2 Standard Inlets Accepted for Use in the Town 8-2
Table 8-1 Standard Town Inlets 8-2
8.3 Inlets on Continuous Grade 8-3
8.3.1 Inlet Capacity Factors 8-3
8.3.2 Curb Opening Inlet (Type R) 8-3
8.3.3 Type 16 Combination Inlet 8-3
8.4 Hydraulic Evaluation of Inlets on Continuous Grade 8-3
8.4.1 Preliminary Versus Final Design of Inlets on Continuous Grade 8-3
8.4.2 Inlet Analysis Spreadsheets 8-4
8.4.3 Minor Event Curb Opening and Combination Inlet Capacity Charts for Standard Street Sections at Maximum Capacity 8-4
8.4.4 Major Event Curb Opening and Combination Inlet Capacity Charts for Standard Street Sections at Maximum Capacity 8-4
8.4.5 Procedure for Street Flows Less than Maximum Allowable 8-5
8.4.6 Non-Standard Street Sections and Other Types of Inlets 8-5
8.5 Inlets in Sump Conditions 8-5
8.5.1 Capacity Calculation Factors and Inlet Selection 8-5
8.5.2 Hydraulic Capacity Calculations 8-5
8.5.3 Emergency Overflow Path with Drainage Tract 8-5
8.5.4 Type C and D Inlets 8-5
8.6 Inlet Location and Spacing 8-6
8.6.1 Inlet Location and Spacing 8-6
8.6.2 Inlet Placement on a Continuous Grade Based on Flow Spread 8-6
8.7 Other Design Considerations 8-6
8.7.1 Computer Programs/Equivalent Software 8-6
8.7.2 Curb Chase Drain (Sidewalk Chase) 8-6
8.7.3 Maximum Inlet Length 8-6

Figure 8-1 Inlet Capacity Chart Combination (Type 16) Inlet
Local Type I and Type II (Single Family) 8-8
Figure 8-2 Inlet Capacity Chart Combination (Type 16) Inlet
Local Type I and Type II (Multi-Family) 8-9
Figure 8-3 Inlet Capacity Chart Combination (Type 16) Inlet
Local Type III 8-10
Figure 8-4 Inlet Capacity Chart Curb Opening (Type R) Inlet
Minor Collector 8-11

Figure 8-5 Inlet Capacity Chart Curb Opening (Type R) Inlet *Major Collector* 8-12
Figure 8-6 Inlet Capacity Chart Curb Opening (Type R) Inlet *Minor Arterial* 8-13
Figure 8-7 Inlet Capacity Chart Curb Opening (Type R) Inlet *4 Lane Major Arterial* 8-14
Figure 8-8 Inlet Capacity Chart Curb Opening (Type R) Inlet *6-Lane Major Arterial* 8-15
Figure 8-9 Inlet Capacity Chart Sump Conditions *Area (Type C) Inlet* 8-16
Figure 8-10 Inlet Capacity Chart Sump Conditions *Curb Opening (Type R) Inlet* 8-17
Figure 8-11 Inlet Capacity Chart Sump Conditions *Combination (Type 16) Inlet* 8-18

CHAPTER 9. STORM SEWERS
9.0 Introduction 9-1
9.0.1 Stormwater Quality Considerations 9-1
9.1 Design Storms for Sizing Storm Sewers 9-1
9.1.1 Minor Event Storm Sewer Design 9-1
9.1.2 Major Event Storm Sewer Design 9-1
9.2 Storm Sewer Pipe Material and Size 9-2
9.2.1 Storm Sewer Pipe Material 9-2
9.2.2 Minimum Pipe Size 9-3
Table 9-1 Minimum Storm Sewer Pipe Diameters 9-3
9.2.3 Driveway Culverts 9-3
9.3 Other Design Considerations 9-3
9.3.1 RCP Pipe Class, Fill Height, and Installation Trench 9-3
9.3.2 Storm Sewer Joints 9-3
9.3.3 Trash Racks 9-3
9.3.4 Conduit Outlet Structures 9-3
9.4 Easements and Maintenance 9-4
9.4.1 Storm Sewer Easements 9-4
9.4.2 Minimum Acceptable Storm Sewer Easements 9-4
Table 9-2 Minimum Acceptable Storm Sewer Easement Widths 9-4
9.4.3 Allowable Landscaping and Surface Treatment in Storm Sewer Easements 9-4
9.5 Storm Sewer Vertical Alignment 9-5
9.5.1 Storm Sewer Alignment 9-5
9.5.2 Minimum Cover 9-5
9.5.3 Cover in Roadways 9-5
9.5.4 Utility Clearance 9-5
9.6 Storm Sewer Horizontal Alignment 9-6
9.6.1 Storm Sewer Alignment 9-6
9.6.2 Utility Clearance 9-6
9.7 Manholes 9-6
9.7.1 Required Locations 9-6
Table 9-3 Maximum Manhole Spacing 9-6

9.7.2 Manhole Types and Minimum Sizes 9-6
Table 9-4 Manhole Types and Minimum Sizes 9-7
9.7.3 Large Pipe Manhole Structures 9-7
9.7.4 Steps and Platforms 9-8
9.7.5 Energy Dissipation in Manholes 9-8
9.7.6 Manhole Shaping 9-8
9.7.7 Other Design Considerations 9-8
9.8 Hydraulic Design 9-9
9.8.1 Allowable Storm Sewer Velocity and Slope 9-9
9.8.2 Hydraulic Evaluation of Storm Sewers in the Minor Storm Event ... 9-10
9.8.3 Hydraulic Evaluation of Storm Sewers in the Major Storm Event ... 9-11
9.8.4 Computer Programs/Equivalent Software 9-12

CHAPTER 10. CONDUIT OUTLET STRUCTURES
10.0 Introduction 10-1
10.0.1 Design Considerations 10-1
10.1 General Layout Information 10-1
10.1.1 Inlet and Outlet Configuration 10-1
10.1.2 Safety Rails 10-1
10.1.3 Flared End Sections 10-1
10.1.4 Culvert Elevations Relative to Drainageways 10-2
10.2 Conduit Outlet Erosion Protection 10-2
10.2.1 Types of Erosion Protection 10-2
Table 10-1 Erosion Protection at Conduit Outlets 10-3
10.2.2 Selecting Type of Erosion Protection 10-3
10.3 Design Criteria for Culvert and Storm Sewer Outlet Erosion Protection 10-4
10.3.1 Riprap Lining 10-4
10.3.2 Low Tailwater Riprap Basins 10-4

Figure 10-1 Conceptual Toewall Detail 10-5
Figure 10-2 Pipe Outfall Joint Restraint Requirements 10-6

CHAPTER 11. CULVERTS AND BRIDGES
11.0 Introduction 11-1
11.1 General Design Information 11-1
11.1.1 Design Criteria 11-1
11.1.2 Design Flows 11-1
11.1.3 Permitting and Regulations 11-1
11.1.4 Aesthetics and Safety 11-2
11.1.5 Easement, Ownership and Maintenance Requirements 11-2
11.1.6 Trail Coordination 11-2
11.2 Culvert and Bridge Sizing Criteria 11-3
11.2.1 Culvert and Bridge Sizing Factors 11-3
Table 11-1 Allowable Bridge and Culvert Overtopping for Minor Drainageways 11-3
11.2.2 Sizing Procedures for Type A and B Streets when Overtopping is Allowed 11-4
11.2.3 Headwater Considerations 11-4

11.3 Culvert Design Standards 11-4
11.3.1 Construction Material 11-4
11.3.2 Minimum Pipe Size 11-4
11.3.3 Culvert Sizing and Design 11-5
11.3.4 Capacity Curves 11-5
11.3.5 Design Forms 11-5
11.3.6 UD-Culvert Spreadsheet 11-5
11.3.7 Velocity Considerations 11-5
11.3.8 Structural Design 11-6
11.3.9 Alignment 11-6
11.3.10 Minimum Cover 11-6
11.3.11 Multiple-Barrel Culverts 11-7
11.3.12 Trash Racks 11-7
11.3.13 Inlets and Outlets 11-7
11.4 Driveway Culverts 11-7
11.4.1 Applicable Criteria 11-7
11.4.2 Construction Material 11-7
11.4.3 Minimum Size 11-7
11.4.4 Minimum Cover 11-7
11.4.5 Culvert End Treatments 11-7
11.4.6 Minimum Slope 11-8
11.4.7 Design and Construction of Driveway Culverts 11-8
11.5 Bridge Design Criteria 11-8
11.5.1 General 11-8
11.6 Low Water Crossings/Pedestrian Bridges 11-8
11.6.1 General 11-8

CHAPTER 12. OPEN CHANNEL DESIGN

12.0 Introduction 12-1
12.0.1 Functions of Drainageways 12-1
Figure 12-1 Functions and Benefits of Healthy Streams 12-1
12.0.2 Drainageway Degradation 12-1
Figure 12-2 Impacts of Stream Degradation 12-2
12.0.3 Vision for Drainageways 12-3
12.0.4 Definition of Major and Minor Drainageways 12-3
12.0.5 Jurisdictional Streams 12-4
12.0.6 Governing Criteria 12-4
12.1 Drainageway Preservation and Stabilization 12-4
12.1.1 Preservation of Natural Drainageways 12-4
12.1.2 Stabilization of Natural Drainageways 12-5
12.1.3 Design Considerations 12-6
12.1.4 Master Planning 12-6
12.1.5 Design Flows 12-6
12.1.6 Permitting and Regulations 12-7
12.2 Design Criteria for Major Drainageways 12-7
12.2.1 Natural Channel Approach 12-7
Figure 12-3 Design Elements Associated with Major Drainageway Stabilization 12-8

12.2.2 Create Shallow Base Flow Channel 12-8
12.2.3 Establish Longitudinal Slope Using Grade Control Structures 12-9
Table 12-1 Grade Control Drop Height Criteria 12-10
Figure 12-4 Base Flow Channel Slope Criteria 12-11
12.2.4 Utilize Vegetated Benches to Convey Overbank Flow 12-11
12.2.5 Slope Back and Stabilize Eroding Banks 12-11
12.2.6 Analyze Floodplain Hydraulics 12-12
Table 12-2 Hydraulic Design Criteria for Natural Channels 12-13
12.2.7 Undertake Major Drainageway Plan Improvements if Required by Town 12-14
12.3 Design Criteria for Minor Drainageways 12-14
12.3.1 Natural Channels 12-14
12.3.2 Grass-Lined Channels 12-14
Table 12-3 Hydraulic Design Criteria for Grass-Lined Channels 12-15
12.3.3 Composite Channels (Wetlands Bottom Channels) 12-15
12.3.4 Bioengineered Channels 12-15
12.3.5 Riprap-Lined and Concrete-Lined Channels 12-15
12.4 Grade Control Structures 12-15
12.4.1 100-year Drop Structures 12-16
12.4.2 Low-Flow Drop Structures 12-16
12.4.3 Drop Structure Types 12-17
12.5 Easements, Maintenance, and Ownership 12-17
12.5.1 Drainage Easement 12-17
12.5.2 Drainageway Ownership 12-17
12.5.3 Easements for Natural Drainageways 12-18
Figure 12-5 Minimum Easement Width for Natural Drainageways 12-18
12.5.4 Design for Maintenance 12-18
12.5.5 Maintenance Responsibility 12-19
Table 12-4 Roughness Coefficients 12-20

CHAPTER 13. STORAGE
13.0 Introduction 13-1
13.0.1 Stormwater Quality Considerations 13-1
13.1 General Requirements 13-1
13.1.1 Detention Shall be Provided for all New Development, Redevelopment and Expansion 13-1
13.1.2 Excess Urban Runoff Volume 13-1
Figure 13-1 Excess Urban Runoff Volume (EURV) [Type C/D Soils] 13-2
13.1.3 Compatibility of Full-spectrum Detention Policy with Former 10-year/100-year Criteria 13-2
13.1.4 Definition of Redevelopment, Expansion, and/or Improvement 13-3
13.2 Regional, Sub-Regional, and Onsite Detention Facilities 13-3
13.2.1 Regional Detention 13-3
13.2.2 Sub-regional Detention 13-5
13.2.3 Onsite Detention 13-6
13.3 Detention Basin Design Criteria 13-6
13.3.1 Sizing Methodology 13-6
13.3.2 Onsite Detention and Addressing Off-site Flows 13-7

13.3.3 Multiple Small Detention Basins 13-7
13.3.4 Detention Basins in Series 13-7
13.3.5 Interconnected Ponds 13-8
13.3.6 Excavated and Embankment Slopes 13-8
13.3.7 Freeboard Requirements 13-8
13.3.8 Low Flow Channels 13-8
13.3.9 Bottom Slope 13-9
13.3.10 Inlet Facilities 13-9
13.3.11 Outlet Structure 13-9
13.3.12 Trash Racks 13-10
13.3.13 Emergency Spillway and Embankment Protection 13-10
13.3.14 Retaining Walls 13-11
13.3.15 Landscaping Guidelines 13-12
13.3.16 Signage 13-12
13.3.17 Easement Requirements 13-13
13.3.18 Maintenance 13-13
13.4 Design Standards for Parking Lot Detention 13-13
13.4.1 Easement Requirements 13-13
13.4.2 Maintenance Requirements 13-13
13.4.3 Depth Limitation 13-13
13.4.4 Outlet Configuration 13-14
13.4.5 Flood Hazard Warning 13-14
13.5 Landscaping Guidelines 13-14
13.6 Designing for Maintenance 13-15
13.6.1 Access for Sediment Removal 13-15
13.6.2 Other Improvements to Facilitate Maintenance 13-16

Figure 13-2 Regional Detention Approach 13-17
Figure 13-3 Sub-Regional Detention Approach 13-18
Figure 13-4 Onsite Detention Approach 13-19
Figure 13-5 Design Options for Detention Basins 13-20
Figure 13-6 Typical Low Flow Channel Details 13-21
Figure 13-7 Embankment Protection Details and Rock Sizing Chart 13-22

CHAPTER 14. STORMWATER QUALITY
14.0 Introduction 14-1
14.0.1 How to Use this Chapter 14-1
14.0.2 Integrated Approach to Stormwater Quality 14-2
14.1 Stormwater Quality Design Process 14-3
14.1.1 Four Step Process 14-3
14.2 Sub-Regional, Regional and Onsite Approaches 14-5
14.2.1 General 14-5
14.2.2 Requirements for Regional and Sub-Regional Water Quality Facilities on Jurisdictional Streams 14-5
14.3 Selecting Type of Water Quality Capture Volume Facility 14-6
14.4 Exemptions from Post-Construction Best Management Practice Requirements 14-7
14.4.1 Exempt Projects 14-7
14.4.2 Exemptions from Water Quality Capture

Volume Requirements (Step 2) 14-7
14.5 Design Criteria for Commonly Implemented Best Management Practices 14-7
14.5.1 Example Drawings 14-8
14.5.2 Design Checklists 14-8
14.5.3 Design Criteria for Grass Buffers and Swales 14-8
Table 14-2 Grass Buffer and Swale Design Criteria 14-9
14.5.4 Design Criteria for Extended Detention Basins 14-11
14.5.5 Design Criteria for Sand Filter Basins 14-13
14.5.6 Design Criteria for Porous Landscape Detention 14-15
14.5.7 Geotextile Fabric Design Considerations 14-17
14.5.8 Geomembrane Liner Design Considerations 14-17
14.5.9 Retaining Wall Use in Sand Filter Basins and Porous Landscape Detention 14-18
14.5.10 Sand Filter Basin and Porous Landscape Detention Landscaping Requirements 14-18
14.6 Design Criteria for Other Best Management Practices 14-19
14.6.1 Design Criteria for Constructed Wetlands Basins 14-19
14.6.2 Design Criteria for Retention Ponds 14-20
14.6.3 Design Criteria for Porous Pavement 14-21
14.6.4 Design Criteria for Porous Pavement Detention 14-22
14.7 Operation & Maintenance Manual 14-23
14.8 Source Control BMPs 14-24
14.8.1 General 14-24
14.8.2 Direct Connections 14-24
14.8.3 Indirect Connections 14-24
14.8.4 Structural Source Controls 14-25
14.8.5 Non-structural Controls 14-25
14.8.6 Town Requirements for Illicit Discharge 14-25
14.8.7 Operation and Maintenance 14-26

Table 14-1 Selection Matrix for Water Quality Capture Volume Facilities 14-27
Figure 14-1 Terms for Minimizing Directly Connected Impervious Area 14-28
Figure 14-2 Concepts for Grass Swales 14-29
Figure 14-3 Concept for Concrete Edger 14-30
Figure 14-4 Concept for Outlet Structure with Parallel Wingwalls and Flush Bar Grating (Integral Micropool Shown) 14-31
Figure 14-5 Concept for Outlet Structure with Flared Wingwalls and Handrail (Integral Micropool Shown) 14-32
Figure 14-6 Concept for Outlet Structure with Parallel Wingwalls and Flush Bar Grating (External Micropool Shown) 14-33
Figure 14-7 Concept for Outlet Structure with Flared Wingwalls and Handrail (External Micropool Shown) 14-34
Figure 14-8 Concept for Integral Forebay at Pipe Outfall 14-35
Figure 14-9 Concept for Integral Forebay at End Section 14-36
Figure 14-10 Concept for Modified Extended Detention Basin for Small Sites (Concrete Low Flow Channel Shown) 14-37
Figure 14-11 Concept for Modified Extended Detention Basin for Small Sites (Benched Low Flow Channel Shown) 14-38

Figure 14-12 Concept for Porous Landscape Detention in Parking Lot.....14-39

Figure 14-13 Concept for Porous Landscape Detention in Parking Lot (Detailed View) 14-40
Figure 14-14 Concepts for Inflows to Porous Landscape Detention in Parking Lot 14-41
Figure 14-15 Concept for Porous Landscape Detention in Landscape Area (if Approved by Town) 14-42
Figure 14-16 Concepts for Porous Landscape Detention Outlet Structures.....14-43